No. 9000166

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Northrup King Company

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S29-39'

In Testimony Whereof, *I have hereunto set my hand and caused the seal of the* Plant Variety Protection Office *to be affixed at the City of* Washington, D.C. *this* 31st *day of* July *in the year of our Lord one thousand nine hundred and* ninety-two.

Attest:

Kenneth R Evans

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Edward Madigan

Secretary of Agriculture

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) *(as it is to appear on the Certificate)*
Northrup King Co.

2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.
X8930, W410387

3. VARIETY NAME
S29-39

4. ADDRESS *(street and no. or R.F.D. no., city, state, and ZIP)*
P. O. Box 959
Minneapolis, MN 55440

5. PHONE *(Include area code)*
612-593-7333

FOR OFFICIAL USE ONLY

PVPO NUMBER
9000166

FILING
Date: May 4, 1990
Time: ☐ A.M. ☐ P.M.

FEES RECEIVED
Filing and Examination Fee: $ 2150
Date: May 4, 1990
Certificate Fee: $ 250.-
Date: June 15, 1992

6. GENUS AND SPECIES NAME
Glycine max

7. FAMILY NAME *(Botanical)*
Leguminosae

8 CROP KIND NAME *(Common Name)*
Soybean

9 DATE OF DETERMINATION
September, 1987

10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION *(Corporation, partnership, association, etc.)*
Corporation

11. IF INCORPORATED, GIVE STATE OF INCORPORATION
Delaware

12. DATE OF INCORPORATION
1976

13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS
Robert W. Romig
Northrup King Co.
P. O. Box 959
Minneapolis, MN 55440
PHONE *(Include area code)*: 612-593-7305

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED *(Follow INSTRUCTIONS on reverse)*

a. [X] Exhibit A, Origin and Breeding History of the Variety
b. [X] Exhibit B, Novelty Statement.
c. [X] Exhibit C, Objective Description of Variety
d. [X] Exhibit D, Additional Description of Variety.
e. [X] Exhibit E, Statement of the Basis of Applicant's Ownership.
f. [X] Seed Sample (2,500 viable untreated seeds). Date Seed Sample mailed to Plant Variety Protection Office _____
g. [X] Filing and Examination Fee ($2,150) made payable to "Treasurer of the United States."

15 DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? *(See section 83(a) of the Plant Variety Protection Act.)*
☐ YES *(If "YES," answer items 16 and 17 below)* [X] NO *(If "NO," skip to item 18 below)*

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
☐ YES [X] NO

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?
☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?
☐ YES *(If "YES," through* ☐ Plant Variety Protection Act ☐ Patent Act Give date _____ *)*
[X] NO

19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES?
☐ YES (If "YES," give names of countries and dates)
[X] NO

20 The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in section 41, and is entitled to protection under the provisions of section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT *(Owner(s))*	CAPACITY OR TITLE	DATE
Robert W. Romig	VICE PRESIDENT, RESEARCH	MAY 2, 1990
SIGNATURE OF APPLICANT *(Owner(s))*	CAPACITY OR TITLE	DATE

9000166

EXHIBIT A

Origin and Breeding History of the Variety

The soybean variety 'S29-39' was derived from the cross 'B152' x '9240R' which was made in 1981 by the Northrup King soybean research group at Washington, Iowa. The F1 and F2 generations were grown at the Northrup King Research Center near Waimea, Kauai, Hawaii in the winter of 1981-82. The F3 generation was grown in the field at Washington in 1982 and the F4 at Waimea in the winter of 1982-83. The F2 to F4 generations were all advanced by harvesting 2-4 pods from each plant. The F5 was planted at Washington in May, 1983. At the second trifoliolate leaf stage, cotyledons were removed from approximately 70 plants and inoculated with Race 3 of Phytophthora megasperma. Thirty-five plants which tested resistant were harvested and threshed individually. The seed from these plants were grown in F6 progeny rows in 1984. One of these, numbered W410387, was selected based on agronomic appearance to be tested in a preliminary yield trial in 1985. This line was subsequently named S29-39. It has been tested at several midwest locations from 1986 to 1989 and found to yield well in comparison to other late Group II and early Group III cultivars. Descriptive traits including purple flowers, grey pubescence, brown pods, and yellow hilum have been identified and confirmed. S29-39 was tested for reaction to iron-deficiency chlorosis on calcareous soil near Harcourt in North Central Iowa and found to be moderately susceptible. Presence of the Rps 1-c gene for Phytophthora resistance was confirmed by hypocotyl inoculation of seedling plants in the greenhouse.

In the winter of 1987-88, 500 grams of carefully hand-rogued seed was planted at Waimea to initiate seed increase. At harvest, 100 representative plants were harvested and threshed individually. All off-type plants were removed from the increase block, and the remaining plants were bulk threshed. This seed was planted at Washington in 1988 to produce Breeder Seed. This increase was rogued intensively at flowering and prior to harvest. The 100 individual plants were grown in progeny rows at the Northrup King Research Center at St. Joseph, IL to monitor within variety variability and to produce Pedigree Seed. A few rows which appeared to be slightly earlier or shorter were removed. The remaining uniform rows were bulked.

Foundation Seed of S29-39 was grown in 1989. The Iowa Crop Improvement Association inspected the field and found it to meet the standards for Foundation Seed. The National Soybean Variety Review Board approved the variety for eligibility for Certification on December 7, 1989.

S29-39 is a stable and uniform variety except that it may contain up to 2% seed with hilum color other than yellow. Other than the slight variation in maturity noted earlier, no variants have been observed. Normal environmentally induced variation is similar to other soybean varieties.

Varietal purity will be maintained by use of progeny rows as needed.

EXHIBIT B

Novelty Statement For the Variety

Soybean variety S29-39 is most similar to S29-20. It can be differentiated from S29-20 on the basis of reaction to Races 3 and 7 of Phytophthora megasperma. S29-39 is resistant, S29-20 is susceptible.

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C
(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (Glycine max L.*)*

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Co.		S29-39

ADDRESS *(Street and No., or R.F.D. No., City, State, and Zip Code)*
P. O. Box 959
Minneapolis, MN 55440
Attention: R. W. Romig

FOR OFFICIAL USE ONLY
PVPO NUMBER
9000166

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., [0][9]).

1. SEED SHAPE:

[2]



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

2. SEED COAT COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other *(Specify)* _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

[1] 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')

4. SEED SIZE: (Mature Seed)

[1][4] Grams per 100 seeds

5. HILUM COLOR: (Mature Seed)

[2] 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other *(Specify)*
May contain up to 2% other hilum color.

6. COTYLEDON COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green

7. SEED PROTEIN PEROXIDASE ACTIVITY:

[1] 1 = Low 2 = High

8. SEED PROTEIN ELECTROPHORETIC BAND:

[2] 1 = Type A ($SP1^a$) 2 = Type B ($SP1^b$)

9. HYPOCOTYL COLOR:

[4] 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

10. LEAFLET SHAPE:

[3] 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other *(Specify)* _____

5

11. LEAFLET SIZE:

[2] 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')

12. LEAF COLOR:

[2] 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')

13. FLOWER COLOR:

[2] 1 = White 2 = Purple 3 = White with purple throat

14. POD COLOR:

[2] 1 = Tan 2 = Brown 3 = Black

15. PLANT PUBESCENCE COLOR:

[1] 1 = Gray 2 = Brown (Tawny)

16. PLANT TYPES:

[2] 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')

17. PLANT HABIT:

[3] 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

18. MATURITY GROUP:

[5] 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)



BACTERIAL DISEASES:

[ ] Bacterial Pustule *(Xanthomonas phaseoli* var. *sojensis)*

[1] Bacterial Blight *(Pseudomonas glycinea)*

[ ] Wildfire *(Pseudomonas tabaci)*

FUNGAL DISEASES:

[1] Brown Spot *(Septoria glycines)*

Frogeye Leaf Spot *(Cercospora sojina)*

[ ] Race 1 [ ] Race 2 [ ] Race 3 [ ] Race 4 [ ] Race 5 [ ] Other *(Specify)* _____

[ ] Target Spot *(Corynespora cassiicola)*

[ ] Downy Mildew *(Peronospora trifoliorum* var. *manshurica)*

[ ] Powdery Mildew *(Microsphaera diffusa)*

[1] Brown Stem Rot *(Cephalosporium gregatum)*

[ ] Stem Canker *(Diaporthe phaseolorum* var. *caulivora)*

6

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

FUNGAL DISEASES: (Continued)

[1] Pod and Stem Blight *(Diaporthe phaseolorum* var; *sojae)*

[1] Purple Seed Stain *(Cercospora kikuchii)*

[ ] Rhizoctonia Root Rot *(Rhizoctonia solani)*

Phytophthora Rot *(Phytophthora megasperma* var. *sojae)*

[2] Race 1 [2] Race 2 [2] Race 3 [1] Race 4 [1] Race 5 [2] Race 6 [2] Race 7

[2] Race 8 [2] Race 9 [ ] Other *(Specify)* _____

VIRAL DISEASES:

[ ] Bud Blight (Tobacco Ringspot Virus)

[ ] Yellow Mosaic (Bean Yellow Mosaic Virus)

[ ] Cowpea Mosaic (Cowpea Chlorotic Virus)

[ ] Pod Mottle (Bean Pod Mottle Virus)

[1] Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

Soybean Cyst Nematode *(Heterodera glycines)*

[1] Race 1 [1] Race 2 [1] Race 3 [1] Race 4 [ ] Other *(Specify)* _____

[ ] Lance Nematode *(Hoplolaimus Colombus)*

[ ] Southern Root Knot Nematode *(Meloidogyne incognita)*

[ ] Northern Root Knot Nematode *(Meloidogyne Hapla)*

[ ] Peanut Root Knot Nematode *(Meloidogyne arenaria)*

[ ] Reniform Nematode *(Rotylenchulus reniformis)*

[ ] OTHER DISEASE NOT ON FORM *(Specify):* _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[1] Iron Chlorosis on Calcareous Soil

[ ] Other *(Specify)* _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[ ] Mexican Bean Beetle *(Epilachna varivestis)*

[ ] Potato Leaf Hopper *(Empoasca fabae)*

[ ] Other *(Specify)* _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Preston	Seed Coat Luster	B152
Leaf Shape	Preston	Seed Size	S30-41
Leaf Color	S34-19	Seed Shape	S27-10
Leaf Size	Sherman	Seedling Pigmentation	B152

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
S29-39 Submitted	122	2.3	82	6.2	11.0	36.1	22.4	13.6	2-3
Pella 86 Name of Similar Variety	123	2.2	91	6.0	10.3	38.8	21.6	15.9	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A_2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



EXHIBIT D

Additional Description of the Variety

Soybean variety S29-39 is a very late Maturity Group II cultivar maturing between Preston and Pella 86. It exhibits long hypocotyl extension when planted in sand at 12 cm depth at 25° C. It exhibits normal tolerance to metribuzin herbicide.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

Soybean variety S29-39 was developed by the Northrup King Co. soybean breeding staff from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King Co. is the sole owner of the variety.